

	Type	L #		Search Text	DBs
1	BRS	L1	73	predicat\$4 adj2 check\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;
2	BRS	L2	8050	consum\$6 adj operation	USPAT; US-PGPUB; EPO; JPO; DERWENT;
3	BRS	L3	79	2 and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
4	BRS	L4	37	3 and (SQL or query)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
5	BRS	L5	9	4 and index\$3 same page	USPAT; US-PGPUB; EPO; JPO; DERWENT;
6	BRS	L6	29	2 and index\$3 with page	USPAT; US-PGPUB; EPO; JPO; DERWENT;
7	BRS	L7	5	6 and (RID! or ((row or tuple or record) adj (ID or identification or identifier)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
8	BRS	L8	8050	((consum\$6 adj operation) or (predicat\$4 near6 check4))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
9	BRS	L9	44430	((consum\$6 near4 operation) or (predicat\$4 near6 check\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
10	BRS	L10	139	9 and index\$3 with page	USPAT; US-PGPUB; EPO; JPO; DERWENT;
11	BRS	L11	13	10 and (RID! or ((row or tuple or record) adj (ID or identification or identifier)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	73	predicat\$4 adj2 check\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;
2	BRS	L2	8050	consum\$6 adj operation	USPAT; US-PGPUB; EPO; JPO; DERWENT;
3	BRS	L3	79	2 and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
4	BRS	L4	37	3 and (SQL or query)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
5	BRS	L5	9	4 and index\$3 same page	USPAT; US-PGPUB; EPO; JPO; DERWENT;
6	BRS	L6	29	2 and index\$3 with page	USPAT; US-PGPUB; EPO; JPO; DERWENT;
7	BRS	L7	5	6 and (RID! or ((row or tuple or record) adj (ID or identification or identifier)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
8	BRS	L8	8050	((consum\$6 adj operation) or (predicat\$4 near6 check4))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
9	BRS	L9	44430	((consum\$6 near4 operation) or (predicat\$4 near6 check\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
10	BRS	L10	139	9 and index\$3 with page	USPAT; US-PGPUB; EPO; JPO; DERWENT;
11	BRS	L11	13	10 and (RID! or ((row or tuple or record) adj (ID or identification or identifier)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
12	BRS	L12	24	("6219662" or "6192358" or "6189010" or "6070158" or "6009425" or "5920854" or "5913061" or "5845274" or "5806058" or "5748952" or "5732270" or "5455944").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	9	12 and ((data adj manager) or (data adj management) or (database adj query) or DBMS! or RDBMS!)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
14	BRS	L14	4	13 and (index\$5 same (RID! or ((key or record or row or tuple) adj4 (ID! or identification or identifier))))	USPAT; US-PGPUB; EPO; JPO; DERWENT;

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	3	14 and index\$3 same (fetch\$3 or search\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
16	BRS	L16	2	15 and (runtime or run-time or (run adj time))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
17	BRS	L17	1	16 and index\$3 with page	USPAT; US-PGPUB; EPO; JPO; DERWENT;
18	BRS	L18	12	12 and index\$3 with page	USPAT; US-PGPUB; EPO; JPO; DERWENT;
19	BRS	L19	5	12 and (runtime or run-time or (run adj time))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
20	BRS	L20	10	12 and index\$3 near6 page	USPAT; US-PGPUB; EPO; JPO; DERWENT;
21	BRS	L21	15	12 and (index\$5 same (RID! or ((key or record or row or tuple) adj4 (ID! or identification or identifier)) or (key adj value) or key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L22	14	12 and (index\$5 with (RID! or ((key or record or row or tuple) adj4 (ID! or identification or identifier)) or (key adj value) or key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L23	11	12 and (index\$5 near6 (RID! or ((key or record or row or tuple) adj4 (ID! or identification or identifier)) or (key adj value) or key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L24	4	23 and (index\$5 near6 (RID! or ((key or record or row or tuple) adj4 (ID! or identification or identifier))))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
25	BRS	L25	6	12 and ((data adj manager) or (data adj management))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
26	BRS	L26	6	12 and ((index\$6 adj manager) or (index\$6 adj management))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
27	BRS	L27	10	12 and index\$3 near6 page	USPAT; US-PGPUB; EPO; JPO; DERWENT;
28	BRS	L28	5	12 and (runtime or run-time or (run adj time))	USPAT; US-PGPUB; EPO; JPO; DERWENT;

	Type	L #	Hits	Search Text	DBs
29	BRS	L29	10	12 and (fetch\$4 or search\$3) same index\$5 same data	USPAT; US-PGPUB; EPO; JPO; DERWENT;
30	BRS	L30	4	12 and (predicat\$4 or consum\$6) same operation	USPAT; US-PGPUB; EPO; JPO; DERWENT;
31	BRS	L31	6	12 and key same identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT;
32	BRS	L32	3	12 and data with return\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT;
33	BRS	L33	0	12 and lattch same index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;
34	BRS	L34	3	12 and latch same index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;